



imagePRESS V1350

COLOUR PRODUCTION
DIGITAL PRESS



imagePRESS V1350 shown with optional accessories.

Product Specifications

Marking Engine

Technology Electrophotography

Print Resolution 2400 x 2400 dpi

Print Speed

8.5" x 11":	Up to 135 ppm
11" x 17":	Up to 76 ipm
12" x 18":	Up to 72 ipm
13" x 19":	Up to 69 ipm
13" x 30":	Up to 28 ipm

Paper Size 7.2" x 7.2" to 13" x 19.2"

Paper Capacity ¹	Standard:	Up to 1,000 Sheets
	Maximum:	Up to 10,000 Sheets

Paper Weight 16 lb. Bond to 170 lb. Cover
(60 gsm to 450 gsm)

Long Sheets² Up to 13" x 30"

Automatic Duplexing	Paper Size: ²	Up to 13" x 30"
	Paper Weight:	Up to 170 lb. Cover (450 gsm)

Average Monthly Print Volume 75,000 to 1,200,000

Duty Cycle² Up to 2,400,000

Power Source Three-Phase 208 V, 60 Hz, 30 A
Single-Phase 208 V, 60 Hz, 20 A

Weight 2,348 lb.

Dimensions 105.9" W x 45.9" D x 57.3" H

Input Accessories

POD Deck-E1	Paper Capacity: ¹	Up to 4,000 Sheets
	Attach Inline:	Up to 2
	Paper Size:	7.2" x 7.2" to 13" x 19.2"
	Paper Weight:	16 lb. Bond to 170 lb. Cover (60 gsm to 450 gsm)
	Power Source:	200 - 208 V, 60 Hz, 15 A
	Weight:	551 lb.
	Dimensions:	38.7" W x 31.2" D x 43.1" H

BDT VX 370 - 790 Long Sheet Feeder ⁴	Paper Capacity: ¹	Up to 5,000 Sheets
	Paper Size:	11" x 17" to 13" x 30"
	Paper Weight:	16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm)
	Weight:	1,146.3 lb.
	Dimensions:	51.2" W x 42.7" D x 38.4" H

Finishing Accessories

Sensing Unit-B1⁵	Tasks:	Front-to-Back Alignment, Colour Accuracy Check, Cross Shade Adjustment, Secondary Transfer Adjustment
	Paper Weight:	16 lb. Bond to 170 lb. Cover (60 gsm to 450 gsm)
	Paper Size:	7.2" x 7.2" to 13" x 30"
	Power Supply:	100 – 240 V, 50/60 Hz, 2.5 A
	Weight:	222 lb.
	Dimensions:	20.2" W x 29.5" D x 48.3" H

Document Insertion Unit-R1⁵	Tray Capacity¹	
	Upper Tray:	Up to 200 Sheets
	Lower Tray:	Up to 200 Sheets
	Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Paper Size:	7.2" x 7.2" to 13" x 19.2"
	Power Supply:	100 – 240 V, 50/60 Hz, 1.0 A
	Weight:	134 lb.
	Dimensions:	29.4" W x 31.2" D x 55.4" H

Multi Function Professional Puncher-C1⁵	Paper Weight	
	Punching:	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
	Creasing:	110 lb. Text to 110 lb. Cover (157 gsm to 300 gsm)
	Paper Size	
	Punching (Single):	Letter-R, Letter, Legal, 11" x 17", 12" x 18"
	Punching (Double):	Letter-R, Legal, 11" x 17", 12" x 18"
	Creasing:	Letter-R, 11" x 17", 12" x 18", 13" x 19"
	Die Set Patterns:	Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, Colour Coil 44-Hole, Crease
	Power Supply:	115 V, 60 Hz, 3.8 A
	Weight:	225 lb.
	Dimensions:	17.5" W x 31.3" D x 40.9" H

GBC eWire Pro^{5,8}	Bound Book Size:¹	15 to 100 Sheets
	Paper Size:	Letter
	Paper Weight:	20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)
	Wire Choices:	1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
	Stack Capacity:¹	Up to 35 Books
	Infeed:	Multi Function Professional Puncher
	Power Supply:	115 V, 60 Hz, 2.8 A
	Weight:	500 lb.
	Dimensions:	35.8" W x 31.3" D x 42.6" H

Perfect Binder-F1^{5,6}	Finished Book Size:	5.4" x 8.0" to 8.5" x 11.7"
	Book Thickness:¹	10 to 200 Sheets
	Paper Weight	
	Body Pages:	16 lb. Bond to 110 lb. Text (60 gsm to 163 gsm)
	Cover Page:	4 lb. Bond to 110 lb. Cover (90 gsm to 300 gsm)
	Trimming Method:	3-Side Cut/1-Side Cut/No Cut
	Trim Range	
	Top/Bottom:	0.26" to 1.6"
	Side:	0.26" to 1.95"
	Power Source:	208 V, 60 Hz, 3.0 A
	Weight:	679 lb.
	Dimensions:	36.3" W x 31.1" D x 51.2" H

High Capacity Stacker-J1⁶	Stack Capacity:¹	Up to 6,000 Sheets
	Top Tray Capacity:¹	Up to 200 Sheets
	Attach Inline:	Up to 2
	Paper Size:	7.2" x 7.2" to 13" x 19.2"
	Paper Weight:	16 lb. Bond to 170 lb. Cover (60 gsm to 450 gsm)
	Power Source:	100 – 240 V AC, 50/60 Hz, 2.5 A
	Weight:	265 lb.
	Dimensions:	35.4" W x 29.3" D x 44.9" H

Plockmatic Multi Purpose Stacker^{6,7}	Stack Height	
	Sheets < 25.6":	Up to 11.8"
	Sheets > 25.6":	Up to 5.3"
	Paper Size:	8.3" x 11" to 13" x 30"
	Paper Weight:	100 lb. Text to 130 lb. Cover (148 gsm to 350 gsm)
	Power Source:	100 – 240 V, 50/60 Hz, 2 A
	Weight:	168 lb.
	Dimensions:	41.8" W x 35.4" D x 26.8" H

Paper Folding Unit-K1⁸	Double Parallel Fold:	Legal, Letter-R
	C/Accordion Fold:	Letter-R
	Z-Fold:	Letter-R, 11" x 17"
	Paper Weight:	16 lb. Bond to 28 lb. Bond (60 gsm to 105 gsm)
	Power Source:	From Finisher
	Weight:	157 lb.
	Dimensions:	13.2" W x 31.2" D x 46.9" H

Finishing Accessories (Continued):

Staple Finisher-AF1/Booklet Finisher-AF1	Tray Capacity¹	
	Top Tray:	Up to 1,000 Sheets
	Lower Tray:	Up to 4,000 Sheets
	Saddle-Stitch Tray:	Continuous by Belt
	Paper Weight	
	Stacking:	16 lb. Bond to 170 lb. Cover (60 gsm to 450 gsm)
	Corner Stapling:	16 lb. Bond to 120 lb. Cover (60 gsm to 325 gsm)
	Booklet-Making:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Staple Positions:	Corner, Double
	Paper Size	
	Stapling:	8.3" x 7.2" to 11.7" x 17
	Saddle Finisher:	8.3" x 11" to 13" x 19.2"
	Stapling Capacity¹	
	Corner/Double:	Up to 100 Sheets
	Saddle-Stitch:	Up to 25 Sheets
	V-Fold:	Up to 5 Sheets without Stitch
	Power Source:	120 - 240 V, 60 Hz, 8 A
	Weight	
	Staple Finisher:	287 lb.
	Booklet Finisher:	397 lb.
	Dimensions:	31.5" W x 31.2" D x 48.8" H
Puncher Unit-BS1⁹	Paper Sizes:	
	2-Hole:	7.2" x 7.2" to 11.7" x 17"
	3-Hole:	9.5" x 7.2" to 11.7" x 17"
	Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Punch Waste Capacity:	Up to 6,000 Sheets
	Power Supply:	From Finisher
Long Sheet Catch Tray XL-B1⁹	Paper Capacity¹	
	Up to 13" x 30":	Up to 300 Sheets
	Paper Size:	7.2" x 7.2" to 13" x 51.2"
DFD Adapter and Finisher Bridge-B1⁹	Supported Finishing:	Plockmatic BLM50/35 Professional Booklet Maker
	Requirements:	Staple/Booklet Finisher
	Weight:	168 lb.
	Dimensions:	35.8" W x 29.3" D x 46.9" H
Booklet Trimmer-G1¹²	Margin Trimming:	Front-edge Trim
	Trim Amount:	0.08" to 1.1"
	Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Power Supply:	From Finisher
	Weight:	392 lb.
	Dimensions:	82.5" W x 31.1" D x 40.9" H

Two-Knife Booklet-B1¹¹	Margin Trimming:	Top and Bottom
	Trim Amount:	0.08" to 0.59"
	Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Power Supply:	120 - 127 V, 60 Hz, 4 A
	Weight:	320 lb.
	Dimensions:	43.7" W x 30.3" D x 40.9" H
SDD Square-Fold Booklet-Maker¹¹	Booklet Capacity:¹	Up to 25 Sheets
	Booklet Input Size:	5.5" x 8.27" to 9.6" x 12.6"
	Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Power Supply:	120 V, 60 Hz, 15 A
	Weight:	154 lb.
	Dimensions:	43.3" W x 23.6" D x 44.9" H
SDD Square-Fold Booklet-Maker with Two-Knife Trim¹¹	Booklet Capacity:¹	Up to 25 Sheets
	Booklet Input Size:	5.5" x 8.27" to 9.6" x 12.6"
	Paper Weight:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Trim Amount:	0.08" to 1.38"
	Power Supply:	120 V, 60 Hz, 15 A
	Weight:	573 lb.
	Dimensions:	62.7" W x 27.6" D x 51.2" H
Plockmatic BLM50/35 Professional Booklet-Maker¹²	Booklet Size:¹	Up to 30/50 Sheets
	Paper Size:	8.1" x 10.8" to 12.6" x 18"
	Paper Weight	
	Uncoated:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
	Coated:	28 lb. Bond to 110 lb. Cover (105 gsm to 300 gsm)
	Trim Amount	
	Face: ¹⁵	0.04" to 1"
	Top/Bottom: ¹⁶	0.196" to 1.18"
	Paper Rotating:¹⁶	8.1" x 10.9" to 9.1" x 12.7"
	Weight:	1,235.7 lb.
	Dimensions:	131.1" W x 33.8" D x 42.5" H

Print Servers

PRISMAsync Print Server ⁷	System Software:	Version 9
	CPU:	Intel® Core i7 4770S @ 3.1 GHz
	Memory:	16 GB
	Hard Drive:	1.5 TB
	OS:	Windows® 10
	Standard:	Scheduler, DocBox, G7 Calibration, Page Programmer, Remote Manager, PRISMAlytics Dashboard, Automated Workflows, Multiple Queues, Remote Control
	Optional:	E-Shredding, Advanced Imposition
imagePRESS Server E9000	Fiery System:	FS500 Pro
	CPU:	Intel® Xeon® Dual 12 Core Processor
	Memory:	32 GB
	Hard Drive:	512 GB SSD + 2 x 2 TB
	OS:	Windows 10
	Standard:	Impose, Compose, Command Workstation, Spot-On, Hot Folders, Virtual Printers, Media Librarian, Graphic Arts Pro Package, Colour Right Package
	Optional:	Job Master, JobFlow

¹ Based on 20 lb. Bond.

² BDT VX 370-790 Long Sheet Feeder required.

³ Based on Letter, simplex impressions.

⁴ POD Deck-E1 required.

⁵ High-Capacity Stacker-J1 and/or Staple Finisher-AFI/Booklet Finisher-AFI required.

⁶ Multi Function Professional Puncher-C1 and Perfect Binder-F1 cannot be installed with Inspection Unit.

⁷ Mixed media jobs not supported.

⁸ Multi Function Professional Puncher-C1 required.

⁹ Staple Finisher-AFI or Booklet Finisher-AFI required.

¹⁰ Booklet Finisher-AFI required.

¹¹ Booklet Trimmer-G1 required.

¹² High-Capacity Stacker-J1 or DFD Adapter and Finisher Bridge-B1 required.

¹³ SDD Front Trimmer required.

¹⁴ SDD Rotator required.

¹⁵ FTR50 Trimmer Module required.

¹⁶ RCT50 Rotate Crease Trim Module required.

Canon

www.canon.ca



Canon and imagePRESS are registered trademarks of Canon Inc. in Canada and may also be registered trademarks or trademarks in other countries. PRISMA is a registered trademark of Canon Production Printing Netherlands B.V. All other referenced product names and marks are trademarks of their respective owners. Some printer output images may be simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.



 **CANON**
GENUINE
TONER, CARTRIDGE
& PARTS

